# SAFETY DATA SHEET LUBRICANT FOR PUSH-FIT PIPE FITTINGS



## **MATERIAL SAFETY DATA SHEET According to 91/155 EEC**

# 1 Identification of substance and of the company

#### **Trade name:**

Lubricant for push-fit pipe fittings

### **Product Code:**

6603000

### Field of use:

It is recommended to easily insert the pipe into the fittings and to guarantee better preservation of O-Rings.

### **Supplier:**

RDZ S.p.A.

V.le TRENTO, 101 - 33077 SACILE (PN)

TEL.: +39 0434.787511 - FAX.: +39 0434.787522

E-MAIL rdzcentrale@rdz.it

P.I.V.A.: 00635650930 - C.F.: 02406000261

CAP. SOCIALE: EURO 398 400 I.V.

## **Emergency telephone no:**

+39 0434.787511

## Information provided by:

**RDZ Technical Management** 

## 2 Hazards identification

### **Hazard description:**

Not applicable.

# Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

# Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

# 3 Composition/information on ingredients

## **Chemical characterization**

## **Description:**

mineral oil

## **Dangerous components:**

Void

# **Additional information:**

For the wording of the listed risk phrases refer to section 16.

## 4 First-aid measures

### After inhalation:

Supply fresh air; consult doctor in case of complaints.

### **After skin contact:**

Wash off with soap and plenty of water.

### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### After swallowing:

If symptoms persist, consult a doctor.

# 5 Fire-fighting measures

### Suitable extinguishing agents:

Water haze, Foam, Fire-extinguishing powder, Carbon dioxide

## For safety reasons unsuitable extinguishing agents:

Water with full jet

# Special hazards caused by the substance, its products of combustion or resulting gases:

In case of fire, the following can be released: Carbon monoxide (CO) + Carbon dioxide (CO2), Hydrocarbons

## **Protective equipment:**

Do not inhale explosion gases or combustion gases. Standard procedure for chemical fires.

## **Additional information**

Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **6 Accidental release measures**

## Person-related safety precautions:

Particular danger of slipping on leaked/spilled product.

### Measures for environmental protection:

Do not allow to enter sewers/ surface or ground water.

### Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

# **SAFETY DATA SHEET - LUBRICANT FOR PUSH-FIT PIPE FITTINGS**

# 7 Handling and storage

### **Handling:**

**Information for safe handling:** Prevent formation of aerosols.

**Information about fire and explosion protection:** No special measures required.

### Storage:

**Requirements to be met by storerooms and receptacles:** Store in cool, dry conditions in well sealed receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs. Store away from oxidizing agents.

Further information about storage conditions: None.

## 8 Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

# Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### **Additional information:**

The lists valid during the making were used as basis.

## Personal protective equipment:

**General protective and hygienic measures:** Do not inhale gases / fumes / aerosols. Immediately remove all soiled and contaminated clothing. Avoid contact with the skin. Be sure to clean skin thoroughly after work and before breaks.

## **Protection of hands:**



Preventive skin protection by use of skinprotecting agents is recommended.

## Eye protection:



Goggles recommended during refilling

# 9 Physical and chemical properties

### **General Information**

Form:	Liquid
Colour:	+30 (Saybolt ASTM D-156)
Odour:	Product specific

### Change in condition

Pour point	Not applicable (DIN ISO 3016)
Flash point:	> 180°C (COC-ASTM D-92)
Danger of explosion:	Product does not present an
explosion hazard	_
Density at 20°C:	0.845 g/cm <sup>3</sup> (ASTM D-4052)
Solubility in water:	Insoluble
Viscosity: Kinematic at 40°C:	~ 15 mm <sup>2</sup> /s
(ASTM D-445 cSt)	_

# 10 Stability and reactivity

## Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

### Materials to be avoided:

oxidizing agents

### **Dangerous reactions:**

No dangerous reactions known.

### **Dangerous decomposition products:**

none under normal use

# 11 Toxicological information

### Additional toxicological information:

Prolonged skin contact may cause skin irritation and/or dermatitis.

# 12 Ecological information

## **Ecotoxical effects:**

/

### Behaviour in sewage processing plants:

The product can be mechanically separated.

### **General notes:**

Do not allow product to reach ground water, water course or sewage system.

## SAFETY DATA SHEET - LUBRICANT FOR PUSH-FIT PIPE FITTINGS

# 13 Disposal considerations

### **Product:**

**Recommendation:** Can be incinerated in accordance with local and national regulations.

### Waste disposal key:

For this product no waste disposal key according the European Waste Catalogue (EWC) can be determined, as only the purpose of applicat ion defined by the user enables an allocation. The waste code number has to be determined in accordance with the local waste disposer.

### **Uncleaned packaging:**

**Recommendation:** Empty contaminated packaging thoroughly. They may be recycled after thorough and proper cleaning.

# **14 Transport information**

Land transport ADR/RID (cross-border)
ADR/RID class: -

### **Maritime transport IMDG:**

**IMDG Class: -**

## Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: -

# **Transport/Additional information:**

Not classified as dangerous according to the above specifications.

# 15 Regulatory information

## Labelling according to EU guidelines:

The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EU" as issued in the latest valid version.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Information provided by:

**RDZ Technical Management** 

### Contact: Tel.:

+39 0434.787511

E-Mail: rdzcentrale@rdz.it





